

INDUSTRIAL HAIR REMOVAL PATIENT FEEDBACK

Disagree

Agree

Strongly

N/A

Strongly

Please complete this form during a follow-up visit.

Check the most appropriate response:

The treatment...

The deadherton	Disagree	Dioagroo	7 tg: 00	Agree	14//
Was comfortable					ı
Was painful					
Was fast					
Successfully removed unwanted hair					
Compared to previous laser hair removal treatments, this treatment was better					
I would undergo this treatment again					1
I would recommend this treatment to relatives and friends					
Rate your overall satisfaction with the satisfied and a second and a s	tral iewhat satisfi	□ 5 ed	= very satisf		
And there are a series and a very base of	or Coiton 2				
Are there any comments you have for	or Scholl?				

Thank you for participating in this investigation!



INDUSTRIAL HAIR REMOVAL CLINICIAN FEEDBACK

Check the most appropriate response:

	Very negative	Somewhat negative	Neutral	Somewhat positive	Very positive
What's your first reaction to this new device?					

N/A	Strongly Agree	domen pic Area per Leg wer Leg Agree	☐ Puk		Shoulders
N/A		per Leg wer Leg	☐ Upp		□ Arms □ Shoulders □ Upper Back
N/A		wer Leg			
N/A			Lov		☐ Upper Back
N/A		Agree			
N/A		Agree			☐ Lower Back
N/A		Agree		e response:	Check the most appropriat
		•	Disagree	Strongly Disagree	Treatment with the device
					Was easy to use
					Allows a faster treatment
					Increases safety
1					Increases treatment efficacy
					I would recommend this device to others
					If you wouldn't recommend
				—	
Exceller	Good	Average	Poor	Terrible	Overall, how would you rate
					this device?
Extremel likely	Very likely	Moderately likely	Slightly likely	Not at all likely	
	e?	hat would it b	he device w	hing about t	If you could change somet
			Sciton?	ou have for	Are there any comments y
	ne?		he device w	hing about t	How likely would you be to buy this device? If you could change somet Are there any comments you